PATENT ABSTRACTS OF JAPAN

(11) Publication number: 01209399 A

(43) Date of publication of application: 23.88.89

(61) Int. CI

G04G 15/00 G06F 15/21

G11B 15/02

(21) Application number: 63032820

(71) Applicant:

HITACHI LTD

(22) Date of filing: 17.02.88

(72) Inventor:

KONO ESCHI


(54) INFORMATION PROCESSING SYSTEM

(57) Abstract:

PURPOSE: To simplify the operation of registering schedule, by selecting information desired to be processed from information presented to register a schedule therefor into a processor.

CONSTITUTION: A program list is shown on a display device 1 by operating a mode selector switch 17 and ten numeric keys 19, A cursor is shifted to a desired program by operating a cursor moving key 16 viewing the display. Under such a condition, by operating a setting switch 18, a reservation control section 4 sets information such as date, day of week, time, channel and the like within a VTR control section 3 to complete the reservation for recording.

COPYRIGHT: (C)1988,JPG&Japic



r 1 -

◎公開特許公報(A) 平1-209399

③Int.Ci.*
 益別記号 庁内整理参号 ④公開 平成1年(1989)8月23日
 G 04 G 15/00 A -7409-2F
 F -7408-2F
 G 08 F 15/21 L -7230-5B
 G 11 日 15/02 3 2 8 S -8022-5D 審査請求 未請求 請求項の数 3 (全5頁)

②発明の名称 情報処理システム

②特 聯 昭63-32820

急出 顧 昭63(1988) 2月17日

の発 明 者 幸 野 栄 一 神奈川県**秦野市場**山下1番地 株式会社日立製作所神奈川

工場内

《》出 疑 人 株式会社日立整作所 東京都千代田区神田駿河台4丁目6帶地

⑩代 理 人 并理士 武 聚次郎 外1名

99 **ac 9**9

- 1. 発明の本等 情報の深システム
- 2 特許的求の範囲
 - こ 定められたスケジュールに使って提供される 透供情報を処理する情報処理システムに知いて、 然配送供信頼の内容、提供情報が提供されるス ケジュールに関する情報及び提供情報を処理するに必要な情報を含む必要情報を提供する手段 と、然配処理情報から必要の対象としたい提供 情報を選択する手段と、約配スケジュールに使 つて、選択した提供情報に所定の必要を行う手 級とを据えることを特数とする情報処理システム。
 - 2 前記必要情報を提供する手級が情報配価値体であることを特定とする特許別次の範囲第1項記載の情報処理シスチム。
 - 3 前面が設備報を投供する手数が通信手載であることを帯散とする特許請求の認識第1項記載の情報的選システム。

a REOFETE

「産業上の利用分野」

本務的は、情報犯案システムに係り、特に、定 められたスケジュールに従つて、提供される情報 を処理する情報処理システムに関する。

(従来の技能)

スクジュールに従って、提供される情報を必要する情報的理システムに関する意味技術として、例えば、特別的 89-172025 号公報等に記載された意物が知られている。この意味来授業は、例えば、VTRにおける無面子的の処理を行うシステムであつて、定められたスクジュールに従って教室を掲載して処理を開始させ、あるいは終了させるものであり、スクジェール情報の処理装置への登録を、キーボードから開始時期と終了時刻を入力することにより行りものである。

(発明が解決しようとする疑問)

前述した炭米技術は、予め窓められたスケシュールに従って与えられる情報を処理するため、前述したように、凝集の掲載時期、終了時期等を人

本により至成する必要があるため、この登録時刻を関係とやすく、正常な処理を行うことができない場合があるという問題点を有している。すなわる、一般に、無数の操作を行う操作者は、何を処理したいかという処理の対象の選択を関連とることは少ないが、選択した情報が提供される時期は、本えられる情報内容とは直接関係のない数字情報であり、これを登録する作業は、関係であり、また、関係とやすいものであるからである。

本発明の目的は、前述した従来技術の問題点を 解決し、予め短められたスケジュールに従って提 供される短貨情報の処理にかける、操作性の数響 と処理の複数性の向上を図つた情報を超ジステム を提供することにある。

(鎌盤を解決するための手段)

本発明によれば、前記当的は、選供される情報 の内容と、その情報が提供されるスケシニールと が処理経営で処理可能な形態で予め提供されるよ うにし、この情報の中から処理の対象としたい提 供物の内容を避れすることにより、そのスケジ

窓にかいて、1はディスプレイ製像、2はVTB 製造、3はVTB割製器、4は予約製器、5は 操作パネル、6はフロンビーディスク製像、7は テレビ信号ケーブル、7は B Q B 信号ケーブル、 8は B 付フィールド、8に職日フィールド、9一 1、9 - 2はテヤンネルフィールド、10 - 1、10 - 3は跨辺フィールド、11 - 1、11 - 2は番組フィールド、12は B 付エリア、13 - 1、13 - 2はテ ヤンネルエリア、18は時間エリア、15は番組エリア、16はカーノル製造ャー、17はモード切換スインテ、18は設定スインテ、19はアンキーである。

定められたスケジェールに従って提供される情報を必要する情報必要の形態は、例えば、気象物品から定期的に表信されてくる気象情報の受信必認、 VTRによるテレビ放送の最高予約の必服等があるが、本発明の実施例は、本発明をテレビ放送の無面予約の必要に適用したものとして説明する。

本発別が選用されたVTBにかけるテレビ改造の鉄油子的の処理システムは、第1版に示すよう

ユールが免疫感覚に受感されるようだすることだ より適成される。

(作用)

機供情報の内容と、その提供スケジニールとが 処理基準で処理可能な形態で予め提供されている ので、必要装置は、提供情報の内容とそのスケジ ニールを表示複数に表示可能である。操作者は、 この表示を目扱しながら、処理の対象としたい提 供情報を選択することにより、その提供スケジニールを処理接触に自動的に登録することができる。 これにより、スケジュール登録の操作を想使に行 りことが可能となり、しかも、概要最の可能性を 小さくすることが可能となる。

(無機例)

以下、本発光による気候の悪システムの一実施 例を顕微により静絶に関係する。

第1回は本発明の一条後例の優勢構成を示すブロック説、別2回は予な受益されるスケジュールの記載集件のでの譲渡フェーマントを説明するが、 ※1回は要示面面を示すがである。別1回~第3

第1級に示すシステムだかいて、デイスプレイ 機能1は、アレビ信号ケーブル7と名の自信号ケーブル7とにより¥T品級策2と繊維されてかり、 ¥T品級策2にかける高級再生時に、¥T品制器 数3から出力される高級信号は、アレビ信号ケー ブル7を通つてデイスブレイ級策1に送られて数 ボされる。これを以下¥T品ペートと呼ぶことと する。¥T品制験数3は、¥T品の基本機能であ も確認、再生機能、1級協分の番組の総面予約機 能を含んでかり、総施契約、終了の目時と、その テャンネル情報とは、予約制算器もからセントさ れるものとする。予約制算器もからセントさ れるものとする。予約制算器もからセントさ れるものとする。予約制算器もからセントさ れるものとする。予約制算器もからセントさ れるものとする。予約制算器もからセントさ れるものとする。予約制算器もからセントさ れるものとする。予約制算器もからセントさ れるものとする。予約制算器もからで と変速のスケジェートが記載されたFBの例等 をFD級策6から製出して、その内容を各GB信 サケーアルでを介してデイスプレイ機関1 に繋示する。操作者が、この表示を目標しながら操作が ネル3の操作に19機関したい問題を表式すると、 予約別報報はは、その機器の機器規能、終了の天 ルの日時と、そのテキンネル情報をVTB転解部 3 に登録する。これを予約モードと呼ぶこととす る。VTBモードと予約モードとの切換えば、モード切換スインチのにより行われる。

FD級後もにセットをれるFDは、予め提供される1週間分の並然スケジュールを記録してかり。このFDに記録されている放送スケジュールの門野を示すが一々の勉強フォーマントが第2%に示されている。1日分のデータは、日付フイールド8、週目フィールドが必然を、各テヤンネル般に、特別フィールドと番組フィールドとだより記載されている。1テヤンネル分のフォーマントは、第2回のでは、まず、テヤンネルフィールド第一1により10日の参級であることが示された後、このフィールドに引続いて、時間フィールドルー1と参照フィールドルー1と参照フィールドルー1と参照フィールドルー1と参照フィールドルー1と参照フィールドルー1と参照フィールドルー1と参照フィールドルー1との対のフィールドルー1と参照フィールドルー1との対のフィールドルー1と参照フィールドルー1との対のフィールドルー1と参照フィールドルー1と参照フィールドルー1を表現フィールドルー1を表現フィールドルー1を表現フィールドルー1を表現フィールドルー1を表現フィールドルー1を表現を表現を記載してある。

ヤンネルの鉄道よの鉄道予約を行うものとして数 察する。

まず、モード影楽スインチ目を操作することにより、第188年デシステムを予約モードとし、
ナンキー的より「0920」と目付の入力を行う。
これにより、ディスアレイ要素1には、9月20日
の番組数が表示される。この表示を目視したがら
カーソル容数を一括を操作し、カーソルをディス
アレイ蒸散3上の影響の差上減あるいは最下機に
装飾させると、跨額スクニールが行われ、簡単上
には、異なる時間帯の番組が及ると誘示され、ま
た、カーソルを発生端あるいは最右端に移動させ
ると、テャンネルスクロールが行われ、簡単上
に、他ナヤンネの番組が数示される。

※3別には、このようにして要示された画面の 一別が示されてかり、FO内の目付フィールドを、 ※日フィールド8'の情報は、日付エリア12に、チャンネルフィールド8ー1、8ー2の情報は、チャンネルエリア13ー1、13ー2に未々要示され、 ※組フィールド11-1、11-2の情報は、時間フ 1日分の番組の数だけ数けられて、番組スケジニールを示すように構成されている。次に、第2チャンネルの1日分のスケジニールが、チャンネルフィールドリー2に引送き、時間フィールドリー2と番組フィールドリー3との組が1日分の番組の数だけ数けられて示される。FD内には、番組を提供している全てのチャンネルについて、その一週間分の番組が展次が添と向機にフォーマンドされたスケジニールとして影響されている。

数述のフォーマントにかいて、時間フィールド 10-1、10-2 には、対応する番組フィールドは -1、11-2 で示される番組の終め及び終了時期 が記録されてかり、番組フィールドロー1、11-2 には、一般的には参配名称と、必要に応じてそ の番組の数数が影響されている。

及れ、第2回れがすようなフォーマットでネケ ジュールを配換しているどりを用いて知識すめを 行かうとする場合の影体を説明する。この動作例 は、9月20日、日曜日の19年~20時代、第1年ヤ シネルのニュースム、州日の20年~22時代第2年

イールドの一1、10~3を表示する時間エリアは に対応した数据エリア15だ夫々表示される。第3 数表示者では、15等~23時にかける第1テヤン ネルと第2テャンネルの参編器が表示されている。

金属子的を行かりとする操作者は、この響乐薬 面の中に所属する響能を見付け出すと、カーソス 蘇動※一窓を締体して、カーソルを所襲の番組に 移動させる。カーソルは、その番組を表示してい お上り下金体の色を変える等により、その象框を 選択していることを示すものであり、 ※3匹では、 カーソルは耐能で致わされていて、ニニースムが 選択された状態を示している。この状態で、獣足 スイック18を操作すると、子約影響器(は、ニニ - x A 处验面するため长必要な、 Y D 内の日付フ イールド3、曜日フィールドが、サヤンネルフィ ールドリー1、毎期フィールドロー1の情報をY TR製飯館3内にセントし、ニエース人の最高子 約が発了する。次に、カーソル製動や一16を操作 してカーソルを振る窓の映像など複数し、数定ス イッテ語を操作すれば、放送と問題なして鉄路な

の帰属予約が発了する。

前述の実施例は、1面面に2つのテキンネルの 袋を表を表示できるようにしたが、表示されるサ マンネル教は、さらお多くてもよい。また、何夫 は、1個のテケンネルのみとして、数示できる時 観響を多くしてもよい。

また、前途の英語例は、蓄敵のスケジエールが フロッピーディスタ等の影像微体により提供され るとしたが、毎年の情報が通信手段を介して医療 VTB毎級に挙載されるようにしてもよい。

新書: 在本発展の実施例によれば、提供される テレビ放送登録のステジュールを製面上に表示し たから、淡氷巌面上で所選する番組を選択するの みで、喜風の魚面干剤を行りことができるので、 簡単な後待で、強寒な無難予約を行うことができ & ...

窓送の来別例は、本発明をVTR製量の最関于 · 約を行うシステムに適用したものであるが、本発 朝は、平め遊められたスケジュールと覆つて、蓑 供される情報を処理するどのような情報処理シス

7 A . 8 -- 8 47 7 4 - A F . 8 -- 8 8 7 4 -NF, 9-1, 9-2mm サヤンスルフィールド, 10 - 1、10-2--- 時間アイールド、11-1、11-2 --- 2 …… テマンタルエリア、以…… 発微エリア、 15 ~~ 象版エリア、18 ~~ カーソル等数々~、17 …… モード切然スインチ。18 …… 設定スインチ、 19 ···· * > * - .

> MAK! MISM ** 388 ---



グムにも裏用することができる。


(発像の発展)


以上就领し大工多化、本条领化工机区、干垃圾 められたスケジュールに従って提供される提供性 報の処理において、処理の対象としたい提供情報 を選択するだけで、その提供情報を処理するため 比必要となる情報を自動的と所定の処理のために モントすることができるので、提供情報を必要す るために必要な信義をセプトする操作が不安とな り、操作が衝便になるとともは、拡張体による感 悪の優勝性の低下を防止することができる。

4. 医医の整準な説外


第1回は本発明の一系統例の数器解析を示すブ ロック製、第2器は予め提供されるスケジュール の記録媒体的での数型フォーマットを収集する図。 概3 医は終示を変を示す器である。

1 --- タイスブレイ発放、2 --- VTB鉄盤、 3 ---- YTEMME, 4 ---- 700000, 5 ----機作バネル、も…… フロンビーディスク磁像、7 ---- テレビ信号ケーブル、ブー··· RGB保号ケー





M 3 N



(19) Japanese Intellectual Property Office (JP)

(12) Laid-Open Patent Publication (A)

| (51) Int. Cl. * | G06F 15/21 | (11) Publication No. | Heisei1-209399 |
|-----------------------|--|-----------------------|-----------------|
| G04G 15/00 | G11B 15/02 | (43) Publication Date | August 23, 1989 |
| (21) Application No. | Sho63-32820 | | |
| (22) Application Date | February 17, 1988 | | |
| (71) Applicant | A Company of the Control of the Cont | HITACHI LTD | |
| (72) Inventor(s) | | KONO EIICHI | |
| | | | |

[CLAIMS]

[Claim 1]

An information processing system for processing provided information provided according to a determined schedule, said system comprising:

means for providing processing information, said processing information including contents of the provided information, information on the schedule provided with the provided information, and information required for processing the provided information;

means for selecting provided information desired to be processed from the processing information; and

means for processing the selected provided information in accordance with the schedule.

[Claim 2]

The information processing system of Claim 1, wherein the means for providing the processing information is an information storage medium.

[Claim 3]

The information processing system of Claim 1, wherein the means for providing the processing information is communication means.

[Detailed Description] [Field of the Invention]

The present invention relates to an information processing system, and particularly, to an information processing system for processing provided information in accordance with a determined schedule.

[Background of the Invention]

The technologies disclosed in Japanese Patent Publication No. Sho59-172025, for example, are well known as a prior art information processing system for processing provided information in accordance with a schedule. This type of prior art, for example, relates to a

system for processing a reservation recording in a VTR (Video Tape Recorder). The system initiates or stops processing by operating a device according to a determined schedule. Schedule information is registered to a processor by inputting a start time and end time using a keyboard.

[Objective of the Invention]

As for the prior art described above, in order to process given information according to a predetermined schedule, the start time and end time of the device, for example, need to be registered manually. This may lead to inaccurate input of the registration times and may hinder the normal operation. That is, generally, the operator of the device rarely makes a mistake when selecting a subject to be processed. However, the time the selected information is to be provided is numeric information that is not directly related to the contents of the selected information. Registration of such information is a cumbersome job which is prone to human errors.

The objective of the present invention is to solve the above problems of the prior art, and provide an information processing system that is configured for easy input and improved trustworthiness when processing information that is provided in accordance with a predetermined schedule.

[Means to Solve the Problem]

According to the present invention, the above objectives can be achieved by providing in advance the contents of provided information and a schedule that provides the information to a processor in a format that may be processed by a processor, and by selecting from the information the contents of the provided information that is to be processed so that the schedule may be registered in the processor.

[Operation]

Since the contents of provided information and its information schedule are provided in advance in a format that may be processed by a processor, the processor can display on a display device the contents of the provided information and its schedule. By selecting provided information that is desired to be processed, the operator may automatically register its provided schedule in the processor. As such, the operation of schedule registration would be more convenient, and further, the possibility of false registration can be lowered.

[Embodiments]

An embodiment of an information processing system in accordance with the present invention will now be described in detail.

Fig. 1 shows a block diagram of the apparatus configuration in accordance with an embodiment of the present invention. Fig. 2 illustrates a logic format of a pre-provided schedule in a recording medium. Further, Fig. 3 shows a display screen. In Figs 1 to 3, reference number 1 refers to a display device, 2 refers to a VTR device, 3 refers to a VTR control

section, 4 refers to a reservation control section, 5 refers to an operation panel, 6 refers to a floppy disk device, 7 refers to a television signal cable, 7 refers to an RGB signal cable, 8 refers to a date field, 8' refers to a day field, 9-1 and 9-2 refer to channel fields, 10-1 and, 10-2 refer to time fields, 11-1 and 11-2 refer to program fields, 12 refers to a date area, 13-1 and 13-2 refer to channel areas, 14 refers to a time area, 15 refers to a program area, 16 refers to a cursor moving key, 17 refers to a mode selector switch, 18 refers to a setting switch, and 19 refers to ten numeric keys.

The types of information processing provided in accordance with a determined schedule include, for example, processing of meteorological information received periodically from meteorological satellites, processing of reservation for recording a television broadcast program by using a VTR, and other processing. However, an embodiment of the present invention will be described as applied to the processing reservation for recording a television broadcast program.

According to the present invention, a processing system for reserving the recording of television broadcast programs, as shown in Fig. 1 comprises a VTR device 2 (which includes a VTR control section 3, a reservation control section 4, an operation panel 5 and a floppy disk (hereinafter "FD") device 6) and a display device 1. The operation panel 5 comprises a cursor moving key 16, a mode selector switch 17, a setting switch 18, a ten numeric keys 19, and so forth.

In the system shown in Fig. 1, the display device 1 is connected to the VTR device 2 through the television signal cable 7 and the RGB signal cable 7. When a picture is reproduced in the VTR device 2, a picture signal output from the VTR control section 3 is transmitted to and displayed in the display device 1 through the television signal cable 7. Hereinafter, this state will be referred to as a VTR mode. The VTR control section 3 includes basic functions of a VTR, such as recording and playback functions, and a function for reserving the recording of one-week's program. The date and time of start and end points of the program recording, and the channel information are set by the reservation control section 4. The reservation control section 4 reads contents of an FD storing the one-week schedule of television broadcast programs and displays the contents on the display device 1 through an RGB signal cable 7. If the operator selects the program he or she wishes to record by using the operation panel 5 while viewing the display, the reservation control section 4 registers in the VTR control section 3 the date and time of start and end points of the program recording, and channel information thereof. This state will be referred as a reservation mode. The selection between the VTR mode and the reservation mode is implemented by the mode selector switch 17.

An FD set in FD device 6 stores a broadcasting schedule for one week (i.e., one week's broadcasting schedule) that is provided in advance. The logic format of data that represents the broadcasting schedules stored in the FD is disclosed in Fig. 2. One day's data is stored by the time fields and program fields following the date field 8 and the day field 8' for each channel. Regarding the format for one channel, in the example shown in Fig. 2, firstly, the channel field 9-1 shows the program to be the program of 1CH, and following the above field, a pair of fields (i.e., a time field 10-1 and a program field 10-2) is are set up, the number of the pairs being identical to the number of one day's programs, to indicate the program schedule. Then, the schedule of the second channel for one day is represented by setting up a channel field 9-2 and, next to it, a plurality of pairs of a time field 10-2 and a program field 11-2, the number of pairs

being the same as the number of one day's programs. As discussed above, the programs for one week are sequentially stored in the FD as a formatted schedule for every channel providing a program(s).

Regarding the above format, the start and end times of the program represented in the program fields 11-1 and 11-2 are stored in the time fields 10-1 and 10-2. A name of a program and a summary of the program, if necessary, are stored in the program fields 11-1 and 11-2.

Now, the operations for making a recording reservation by using the FD that retains the schedule in the format shown in Fig. 2 is explained. These exemplary operations are illustrated for a case in which recording reservations are made for news A broadcast on the first channel at 7:00 pm to 8:00 pm on September 20 (Sunday) and movie A on the second channel at 8:00 pm to 10:00 pm on the same day.

First, the system shown in Fig. 1 is set to a reservation mode by operating the mode selector switch 17, and "0920" is input as a date using the ten numeric keys 19. As such, the display device 1 displays the program table of September 20. If the operator operates the cursor moving key 16 to move the cursor to the uppermost or bottommost position on the screen of the display device 1 while viewing the table, the programs in different time slots are displayed on the screen sequentially by scrolling. If the operator moves the cursor to the leftmost or rightmost position, the programs in different channels are displayed on the screen.

Fig. 3 shows an example of the display screen. Information of the date field 8 and day field 8' in the FD is displayed on the date area 12. Information of the channel fields 9-1 and 9-2 is displayed on the channel areas 13-1 and 13-2, respectively. Information of the program fields 11-1 and 11-2 is displayed on the program area 15 corresponding to the time area 14 where time fields 10-1 and 10-2 are displayed. Fig. 3 shows an example of the program table comprising the first channel and the second channel from 19 to 23 hour.

If an operator who wishes to make a recording reservation finds a desired program on the display screen, he or she operates the cursor moving key 16 to move the cursor to the desired program. The cursor indicates that the program is selected by changing the color of the whole area displaying the program. Fig. 3, in which the cursor is being displayed in oblique lines, shows a state where news A is selected. In this state, if the operator operates the setting switch 18, the reservation control section 4 sets up, in the VTR control section 3, information of the date field 8, the day field 8', the channel field 9-1, and the time field 10-1 that are stored in the FD and required for recording news A. Then, the reservation for recording news A is completed. In addition, if the operator operates the cursor moving key 16 to move the cursor to the movie A shown in Fig. 3 and operates the setting switch 18, the reservation for recording movie A is completed in an aforementioned manner.

Although the embodiments described above illustrate the program table as displaying two channels on one screen, more channels may be displayed thereon. Also, the table may comprise, for example, one channel with more time slots for display.

Although the embodiments described above illustrate that the program schedule is provided by a recording medium, such as a floppy disk, program information may be directly

provided to the VTR device through communication means.

According to the embodiments of the present invention, one can make a reservation for recording the program simply by selecting the desired program on the display screen while viewing the television broadcasting program schedule displayed on the screen. Thus, one can make a reservation for recording with certainty by simple manipulation.

Although the embodiments described above is applied to the system for making recording reservations by using a VTR device, the present invention may be applied to any information processing system for processing information provided by a predetermined schedule.

[Effect of the Invention]

As described above, according to the present invention, when processing provided information that is provided in accordance with a predetermined schedule, information required for processing the provided information can be automatically set in the processor for predetermined processing. Therefore, the operation for setting the information required for processing the provided information would not be necessary, thereby simplifying the operation and avoiding a reduction in processing trustworthiness due to erroneous key operations.

[Brief Description of the Drawings]

- Fig. 1 shows a block diagram of the apparatus configuration according to an embodiment of the present invention.
 - Fig. 2 illustrates a logic format of a pre-provided schedule in a recording medium.
 - Fig. 3 shows a display screen.
 - 1; Display Device
 - 2: VTR Device
 - 3: VTR Control Section
 - 4: Reservation Control Section
 - 5: Operation Panel
 - 6: Floppy Disk Device
 - 7: Television Signal Cable
 - 7': RGB Signal Cable
 - 8: Date Field
 - 8': Day Field
 - 9-1. 9-2: Channel Field
 - 10-1, 10-2: Time Field
 - 11-1, 11-2: Program Field
 - 12: Date Area
 - 13-1, 13-2: Channel Area
 - 14: Time Area
 - 15: Program Area
 - 16: Cursor Moving Key
 - 17: Mode Selector Switch
 - 18: Setting Switch

Fried Constitution of the Constitution of the

Japanese Laid-Open Publication No. 1-209399

19: Ten Numeric Keys

[DRAWINGS]

Fig. 1





Fig. 2



fansamener as meansmeater?

Japanese Laid-Open Publication No. 1-209399

Fig. 3

